


Build your own Refrigeration Plant



Sponsored by FJB

Parts of the Refrigeration Plant



What is a Refrigeration Cycle & how does it work?

In its simplest terms the Refrigeration Cycle relies on the Refrigerant (a special substance) changing between two phases - gas and liquid. This is known as a 'Change of State', which occurs when heat is either rejected or absorbed from the Refrigerant. During the Refrigeration Cycle the Refrigerant will go through four processes: compression, condensation, expansion and evaporation to 'change its state'.


As the refrigerant gas is compressed its pressure and temperature increases, so that it can be condensed into its liquid form (a change of state). During the condensation process heat is rejected from the refrigerant to the 'outside air' which causes the gas to cool and condense into a liquid.


The liquid is then expanded to create a low pressure liquid and gas mixture (aerosol) which then evaporates back into a low pressure gas (a change of state). During the evaporation process heat is transferred (absorbed) from the 'inside air' to the refrigerant creating a 'cooling effect'. It is a 'cooling effect' because the air is not cooled as such, but rather the heat is removed leaving only the cool air which creates the cold environment. And then the cycle repeats itself.


These processes take place in the Compressor, the Condenser, the Expansion Valve and the Evaporator. These components make up the Refrigeration Plant and will be explained as you build each component.


For more information visit: https://www.fantasticfridges.com/CoolingScience/HowDoesAFridgeWorkAdvanced


The Refrigeration Cycle – Four Main Processes


















































































The Compressor


The Compressor is the heart of the refrigeration cycle. It compresses the Refrigerant increasing its pressure and heat. The Compressor then pumps the heated and high pressure gas to the condenser. Its purpose is to heat the gas so that it can be condensed into a liquid (change of state) in the Condenser.


There are many different types of compressor but this system uses the basic mechanism of a piston and cylinder block to create a pumping action. Boyle's Law stated that 'as the volume decreases, pressure increases.' As the pistons move up within the cylinder they decrease the volume in the cylinders causing an increase the pressure, which heats the Refrigerant.



There are different types of compressors and more information can be found at: https://www.fantasticfridges.com/AdvancedTopics/InsideARefrigerationSystem










Making the Compressor – The Pistons

The Pistons move up and down increasing the pressure of the gas


20 Page 1










22 | 2x









24 January 1982




25 1x





Series of connecting rods and crankshafts






Adding the pistons











Making the Compressor - The Cylinder Block

The Cylinder Block holds the Pistons.










Making the Compressor - The Cylinder Block


The Cylinder Block holds the series of pistons in place while they move up and down within the cylinders.


Pistons move up and down in the cylinder creating pressure





Making the Compressor – The Cylinder Block


Adding the pistons to the cylinder block.






















How the pistons in a compressor work


Boyle's Law stated that 'as the volume decreases, pressure increases.' As the pistons move up within the cylinder they decrease the volume in the cylinders causing an increase the pressure, which heats the Refrigerant.




In this position both valves are closed and there is no movement of gas and there is no available space (volume) in the cylinder.



As the piston moves down the intake valve opens and allows the gas to pass into the cylinder from the suction line.





As the piston moves down fully the intake valve shuts. The gas is not under pressure but has filled the available space (volume) in the cylinder. Both valves are closed.




As the piston moves up, it decreases the space (volume) within the cylinder which increases the pressure of the gas. As the pressure increases the temperature also increases. The outlet valve opens and releases the heated and pressurised gas into the discharge line which will take the gas to the condenser.


https://www.fantasticfridges.com/CoolingScience/Pressure-Temperature-Volume











36 3x


































43 12x





Making the Compressor - The Cylinder Head



















48 Park





















52 P





53 Page 1x























Adding the Discharge Line


The Discharge Line takes the heated pressurised gas from the compressor to the condenser.






59 1x








The Condenser


The purpose of the Condenser is to 'change the state' of the Refrigerant from a gas to a liquid. This relies on the principle of heat exchange in that, heat will naturally flow from a higher temperature to a lower temperature.


As the heated pressurised gas (from the Compressor) travels through the coils of the condenser, the heat of the gas will naturally flow to the cooler 'outside air' reducing the temperature of the refrigerant until it 'changes state' from a gas to a saturated liquid. This process is known as condensation. The fans increase the air flow over the coil increasing the heat transfer.


The Refrigerant is now a high pressure, high temperature liquid and will leave the Condenser via the Condensed Liquid pipe to be stored in the Liquid Receiver.





For more information on condensers visit: https://www.fantasticfridges.com/AdvancedTopics/InsideARefrigerationSystem
































































**





75 _{2x}






Making the Liquid Receiver

The Liquid Receiver is a storage vessel designed to hold excess refrigerant which is not in circulation, before it moves to the Expansion Valve.


76 1x 1x

































82 ZX







83 Zx































The Condensed Liquid Pipe


The Condensed Liquid Pipe takes the Refrigerant in its high pressure, high temperature liquid form from the Condenser to the Liquid Receiver.






























93 SIOR FIBE CERTICAS














The Expansion Valve


The Expansion Valve reduces the pressure of the liquid refrigerant to change from a high pressure liquid to low pressure liquid before the reaching the evaporator. The Expansion Valve works much like an aerosol can, in that, the compressed liquid in the can is released though a small hole (restrictor) into a larger space where it expands - reducing in pressure. As the liquid reduces in pressure it also cools down.








97 Page 1x



























The Evaporator


The Evaporator works on the principle that evaporation of a liquid gives a cooling effect, much like sweat on your skin. The Refrigerant enters the Evaporator from the Expansion Valve as a low pressure liquid/gas vapour mix which absorbs heat from the 'inside air' of the chamber, into the refrigerant. The refrigerant absorbs heat as it undergoes 'change of state' from a liquid into a gas creating a 'cooling effect'.



































109 _{2x}

















Adding the Suction Line


The Suction Line moves the Refrigerant as gas from the Evaporator back to the Compressor. The Refrigeration Cycle repeats itself.























118 _{1x}









Congratulations – you have built a Single-stage Refrigeration Plant!







